SONALIKA

DISC PLOUGH

SALIENT FEATURES

- The plough is made from boron steel body
- Height adjustable drawbar
- Adjustment for working depth
- Reliable turnover mechanism
- Overload safety protection



DISC PLOUGH

MB Plough is used for initial soil preparation for sowing seed or planting. Generally used for deep tillage of land, to help turn over the upper layer of the soil, bringing fresh nutrients to the surface, while burying weeds and remains of previous crop. It also aerates the soil, allows it to hold moisture better and is tough to withstand heavy loads.

TECHNICAL SPECIFICATIONS

Model Name	Frame (mm)	Axle Type	No. Of Disc	∷ Mounted Cat.	Height (mm)	Type Of Disc	Disc Diameter (mm)	Distance Between Discs (mm)	Width Of Cut (mm)	Bearing Hubs	Weight (kg. Approx.)	Tractor Power (HP)
SL-DP-02 MINI	OD 139.7, ID 124		2	Cat I	812		510 x 4	462	400	2	165	20-26
SL-DP-02	OD 168, ID 145 (Seamless Tubular Frame)	Spindle	2	Cat II	1138.5	Plain Disc	660 x 6 Boron Steel	570	500-550	2	290	50-55
SL-DP-03			3						850-900	3	400	60-75
SL-DP-04			4						1100-1150	4	495	85-90



BAR TYPE SCRAPPER FOR LONG LIFE



STRONG AND ROBUST FRAME MADE OF SEAMLESS TUBULAR PIPE



CLOSED SPRING TYPE COULTER DISC ASSEMBLY



LONGER LIFE OF BORON STEEL DISCS



CLOSED SPRING TYPE

<u>Sonalika</u>

INTERNATIONAL TRACTORS LIMITED

International Business Office: Teri School of Advanced Studies, Plot No.10, Institutional Area, Vasant Kunj, New Delhi-110070 (India) Phone: +91 11 66 45 5200 | Work: Jalandhar Road, Hoshiarpur - 146022, Punjab (India) | Phone: +91 1882 302220, 302221 Fax: +91 1882 302293 | Email: exports@sonalika.com | URL: www.international.sonalika.com



HEAVY DUTY FRAME